

# Module 7

## Chapter 2

### Arranging Training

## Chapter Overview

---

**Introduction** This chapter guides you through the processes of arranging training, to include Activities, Events, and creating Local Suppliers.

---

**Chapter  
Contents**

Topic	Page
Creating a Local Supplier for a Local Activity	2
Accessing the Suppliers Summary Window	3
Completing the Suppliers Window	5
Completing the Supplier Sites Window	8
Defining a Local Activity	10
Completing the Activities Window	12
Completing the Additional Activity Information	14
Entering a Local Activity Name	15
Scheduling an Event	19
Accessing Scheduled Event Window	21
Completing the Scheduled Event Window	22
Completing the Additional Event Information Window	27
Querying for an Event	29
Copying an Event	30
Changing the Event Status	31
Restricting an Event	34
Creating a One-Time Event	35
Using the Bulletin Board	37
Building and Booking Resources	40

---

*Continued on next page*

## Creating a Local Supplier for a Local Activity

---

<b>Purpose</b>	This procedure will guide you through the steps for creating a local supplier (vendor) for a local Activity.
----------------	--

---

<b>Before You Begin</b>	You must create a local supplier before you can set up a local Activity (course), if the supplier is not in the DoD Course Catalog.
-------------------------	---

---

<b>Who Does This</b>	Components will determine who has the responsibility.
----------------------	---



---



*Continued on next page*

## Chapter Overview, Continued



### Accessing the Suppliers Summary Window

Step	Action
1	<b>Navigation Path</b> → <i>Organizations</i> → <i>Supplier</i> → <Open>.
2	<p>The <b>Suppliers Summary</b> window opens with nine tabs, a One Time checkbox, an inactive DDF, and two Taskflow buttons. If you have built Local Suppliers, query the existing list by pressing F11 then press both the CTRL + F11. If you have not built local Suppliers, the window will be blank.</p>  <p>Click the TABS to review the other regions and checkbox.</p> 

*Continued on next page*

## Chapter Overview, Continued


### Accessing the Suppliers Summary Window (continued)

Step	Action		
3	<p>If the Supplier you need...</p> <table border="1"> <tr> <td> <p>Is listed, click &lt;Open&gt;.</p> <ul style="list-style-type: none"> <li>The <b>Suppliers</b> window opens with the name of the Supplier populating in the Supplier name field.</li> <li>Review information to ensure accuracy. If ok,</li> <li>Exit the window and move to the next process, Defining an Activity.</li> </ul> </td><td> <p>Is not listed, click &lt;New&gt;.</p> <ul style="list-style-type: none"> <li>The cursor drops down to the next empty line.</li> <li>Type the name of the new supplier (up to 80 characters).</li> <li>Do not type in the remaining columns.</li> <li>Click &lt;Open&gt;.</li> </ul> </td></tr> </table> <p> <b>Note:</b> If you have no local Suppliers built, click &lt;Open&gt;.</p>	<p>Is listed, click &lt;Open&gt;.</p> <ul style="list-style-type: none"> <li>The <b>Suppliers</b> window opens with the name of the Supplier populating in the Supplier name field.</li> <li>Review information to ensure accuracy. If ok,</li> <li>Exit the window and move to the next process, Defining an Activity.</li> </ul>	<p>Is not listed, click &lt;New&gt;.</p> <ul style="list-style-type: none"> <li>The cursor drops down to the next empty line.</li> <li>Type the name of the new supplier (up to 80 characters).</li> <li>Do not type in the remaining columns.</li> <li>Click &lt;Open&gt;.</li> </ul>
<p>Is listed, click &lt;Open&gt;.</p> <ul style="list-style-type: none"> <li>The <b>Suppliers</b> window opens with the name of the Supplier populating in the Supplier name field.</li> <li>Review information to ensure accuracy. If ok,</li> <li>Exit the window and move to the next process, Defining an Activity.</li> </ul>	<p>Is not listed, click &lt;New&gt;.</p> <ul style="list-style-type: none"> <li>The cursor drops down to the next empty line.</li> <li>Type the name of the new supplier (up to 80 characters).</li> <li>Do not type in the remaining columns.</li> <li>Click &lt;Open&gt;.</li> </ul>		
4	<p>The <b>Suppliers</b> window opens. The window has a <b>Supplier Name</b> Region, (only Classification and Sites are used by DoD), a <b>Type</b> data field, and two checkboxes. Complete the data fields as indicated.</p> 		

*Continued on next page*

## Creating a Local Supplier for a Local Activity, Continued


### Completing the Suppliers Window

Step	Action																														
5	Place the cursor in the <i>Supplier Name</i> data field to enter the following data:																														
	<table> <tr> <th>Data Field</th><th>Action</th></tr> <tr> <td><b>Supplier Name</b></td><td>Type in the name up to 80 characters.(mixed case)</td></tr> <tr> <td><b>Taxpayer ID</b></td><td>Type in number (optional).</td></tr> <tr> <td><b>Inactive After</b></td><td>Leave blank if planning to use again or type in date if not.</td></tr> <tr> <td><b>Number</b></td><td>System generated.</td></tr> <tr> <td><b>Tax Registration Number</b></td><td>Type in number (optional).</td></tr> <tr> <td><b>[ ]</b></td><td>Not customized for DoD.</td></tr> <tr> <td><b>Type</b></td><td>Click the LOV and select vendor.</td></tr> <tr> <td><b>Employee Name</b></td><td>Not active (optional).</td></tr> <tr> <td><b>Number</b></td><td>Not active (optional).</td></tr> <tr> <td><b>One-Time Checkbox</b></td><td>Click checkbox if the supplier is being used one time (optional).</td></tr> <tr> <td><b>SIC</b></td><td>Standard Industry Code (optional).</td></tr> <tr> <td><b>Minority Owned</b></td><td>Self-explanatory (optional).</td></tr> <tr> <td><b>Small Business Checkbox</b></td><td>Click checkbox (optional)</td></tr> <tr> <td><b>Woman Owned Checkbox</b></td><td>Click checkbox (optional)</td></tr> </table>	Data Field	Action	<b>Supplier Name</b>	Type in the name up to 80 characters.(mixed case)	<b>Taxpayer ID</b>	Type in number (optional).	<b>Inactive After</b>	Leave blank if planning to use again or type in date if not.	<b>Number</b>	System generated.	<b>Tax Registration Number</b>	Type in number (optional).	<b>[ ]</b>	Not customized for DoD.	<b>Type</b>	Click the LOV and select vendor.	<b>Employee Name</b>	Not active (optional).	<b>Number</b>	Not active (optional).	<b>One-Time Checkbox</b>	Click checkbox if the supplier is being used one time (optional).	<b>SIC</b>	Standard Industry Code (optional).	<b>Minority Owned</b>	Self-explanatory (optional).	<b>Small Business Checkbox</b>	Click checkbox (optional)	<b>Woman Owned Checkbox</b>	Click checkbox (optional)
Data Field	Action																														
<b>Supplier Name</b>	Type in the name up to 80 characters.(mixed case)																														
<b>Taxpayer ID</b>	Type in number (optional).																														
<b>Inactive After</b>	Leave blank if planning to use again or type in date if not.																														
<b>Number</b>	System generated.																														
<b>Tax Registration Number</b>	Type in number (optional).																														
<b>[ ]</b>	Not customized for DoD.																														
<b>Type</b>	Click the LOV and select vendor.																														
<b>Employee Name</b>	Not active (optional).																														
<b>Number</b>	Not active (optional).																														
<b>One-Time Checkbox</b>	Click checkbox if the supplier is being used one time (optional).																														
<b>SIC</b>	Standard Industry Code (optional).																														
<b>Minority Owned</b>	Self-explanatory (optional).																														
<b>Small Business Checkbox</b>	Click checkbox (optional)																														
<b>Woman Owned Checkbox</b>	Click checkbox (optional)																														
 <b>Note:</b> If you're Component does not require the optional fields, leave blank.																															

*Continued on next page*

## Chapter Overview, Continued

### Completing the Suppliers Window (continued)

Step	Action
6	Click the <b><i>Payment Tab</i></b> to enter payment. Information.
7	<p>The <b><i>Payment</i></b> tab opens with seven data fields and four checkboxes. The first four data fields (<b><i>Terms</i></b>, <b><i>PayGroup</i></b>, <b><i>Payment Priority</i></b>, and <b><i>Invoice Currency</i></b>) are optional. The <b><i>Terms Date Basis</i></b> data field is a required Oracle field and must be entered. Click the <b><i>Sites</i></b> button.</p> 

*Continued on next page*

## Creating a Local Supplier for a Local Activity, Continued

### Completing the Suppliers Window (continued)

Step	Action
8	<p>The form opens with <i>Site Name</i> and <i>Address</i></p> <p><b>Note:</b> The DD Form 1556 picks up the location (Block 19c) from the Center on the Scheduled Event. If your vendor provides training at various locations, use Quick Codes (Chapter 7) to add them to the LOV.</p>
9	<p>The <b>Supplier Sites</b> window opens with the vendor name on the Title bar click the <i>Contacts</i> tab to enter <i>Sites Telephone</i>. Place your cursor in the <i>Name</i> data field to enter the following:</p>

*Continued on next page*

## Creating a Local Supplier for a Local Activity, Continued

### Completing the Supplier Sites Window


Step	Action																				
9 con't	<table> <tr> <th>Data Field/Region</th><th>Description/Action</th></tr> <tr> <td><b>Name</b></td><td>Type in <b>name of the site</b> (location where training is to be conducted) (15-character limit). Required but not used.</td></tr> <tr> <td><b>Country</b></td><td>Click the LOV or type in.</td></tr> <tr> <td><b>Address</b></td><td>Type in street address of vendor.</td></tr> <tr> <td><b>State</b></td><td>Type in state address of vendor.</td></tr> <tr> <td><b>Postal Code</b></td><td>Type in zip code of vendor address.</td></tr> <tr> <td><b>Language</b></td><td>Click in field – populates with the default to American English (language in which the course is taught).</td></tr> <tr> <td><b>Inactive On</b></td><td>Type in date the vendor becomes inactive, if appropriate.</td></tr> <tr> <td><b>Global DDF</b></td><td>Flexfield is not customized for DoD.</td></tr> <tr> <td><b>Site Uses Region</b></td><td>Checkboxes not required.</td></tr> </table>	Data Field/Region	Description/Action	<b>Name</b>	Type in <b>name of the site</b> (location where training is to be conducted) (15-character limit). Required but not used.	<b>Country</b>	Click the LOV or type in.	<b>Address</b>	Type in street address of vendor.	<b>State</b>	Type in state address of vendor.	<b>Postal Code</b>	Type in zip code of vendor address.	<b>Language</b>	Click in field – populates with the default to American English (language in which the course is taught).	<b>Inactive On</b>	Type in date the vendor becomes inactive, if appropriate.	<b>Global DDF</b>	Flexfield is not customized for DoD.	<b>Site Uses Region</b>	Checkboxes not required.
Data Field/Region	Description/Action																				
<b>Name</b>	Type in <b>name of the site</b> (location where training is to be conducted) (15-character limit). Required but not used.																				
<b>Country</b>	Click the LOV or type in.																				
<b>Address</b>	Type in street address of vendor.																				
<b>State</b>	Type in state address of vendor.																				
<b>Postal Code</b>	Type in zip code of vendor address.																				
<b>Language</b>	Click in field – populates with the default to American English (language in which the course is taught).																				
<b>Inactive On</b>	Type in date the vendor becomes inactive, if appropriate.																				
<b>Global DDF</b>	Flexfield is not customized for DoD.																				
<b>Site Uses Region</b>	Checkboxes not required.																				
	<table> <tr> <td><b>Telephones Region</b></td><td>Type in Voice or Fax information to include area code.</td></tr> </table>	<b>Telephones Region</b>	Type in Voice or Fax information to include area code.																		
<b>Telephones Region</b>	Type in Voice or Fax information to include area code.																				

*Continued on next page*



## Chapter Overview, Continued

### Completing the Supplier Sites Window (continued)

Step	Action
10	<p>Click Save on the Toolbar. Exit the window.</p> <p><b>Example:</b></p>  <p><b>Note:</b> You can enter the vendor's email address at the beginning of the address data field. It will then display first in the address string of information.</p>
11	Click <New> or <Open> to create/display another local vendor.

*Continued on next page*

# Defining a Local Activity

## Purpose


This section guides you through the steps to set up a local Activity (course) which is usually the first action taken after a **Training Request Form** is completed or received, and before an employee can be enrolled in training. You must set up a local Activity if it is not in the DoD Course Catalog.

## Definitions

**Activity** - defines the courses listed in the DoD Central Course Catalog as Well as what a local supplier (vendor) can offer. Local courses can Be built for Local Activities. An Activity can be any of the following:

- A training course conducted internally or bought from an external supplier, regardless of method; e.g., classroom, CBI, correspondence, seminar.
- On-the-job training and apprenticeships.
- Work experience and cross-training.
- Educational Activity (college/university courses).

**Activity Type** – one of the nine OPM training course code types expanded to include functional areas within DoD; e.g., Acquisition, as described in this Module overview.



## See Also



In this Module:

Overview

Section: Course Training Type Codes

Chapter 1, Requesting Training

Section: Completing the Training Request Form

Chapter 3, Managing Enrollments, Cancellations, and Attendance

Section: Enrolling an Employee

In this Chapter:

Building and Booking Resources

*Continued on next page*

## Defining a Local Activity, Continued

---

### Who Does This



Components will determine who will be given this responsibility.

---


### Before You Begin

- You must accomplish these actions in the following sequence before an employee can be nominated or scheduled for training:
    - Build a Local Supplier, if needed.
    - Define an Activity, if needed.
    - Schedule an Event.
    - Schedule sessions, if more than one (not required).
    - Enroll an employee.
  - Once an Activity is defined, it does not have to be rebuilt for each subsequent event. **As long as the Activity is not end dated**, you can skip directly to Scheduling an Event. If the Activity already exists, you will receive a message.
  - You must identify a new supplier (if not in the DoD Course Catalog) before an Activity (course) can be built.
  - You can have multiple Activities of the same type with different validity dates. If you want to run concurrent versions of an Activity, use dates to control when the Activity can be scheduled.
  - You cannot run Events for the Activity earlier than the start date or later than the end date.
  - If you build a Local Activity and don't remember what Activity Type it is, use the Course Title LOV on the Training Request Form to access it.
- 

*Continued on next page*

## Defining a Local Activity, Continued

### Completing the Activities Window



Step	Action
1	<b>Navigation Path</b> → <i>Activities</i> → <Open>.
2	<p>The <b>Activities</b> window opens. With your cursor in the <b>Activity Type</b> data field, press the F11 button on your keyboard to begin the query, enter search criteria followed by the %. Press both CTRL + F11 keys to execute the query</p>  <p>The screenshot shows the 'Activities' window with the following fields and sections:</p> <ul style="list-style-type: none"> <li><b>Activity Type</b>: A text field with a yellow highlight.</li> <li><b>Description</b>: A text field.</li> <li><b>Activity</b> section: <ul style="list-style-type: none"> <li><b>Inventory Organization</b>: Text field</li> <li><b>Inventory Item</b>: Text field</li> <li><b>Name</b>: Text field</li> <li><b>Description</b>: Text field</li> <li><b>Audience</b>: Text field</li> <li><b>Objectives</b>: Text field</li> <li><b>Supplier</b>: Text field</li> <li><b>Language</b>: Text field</li> <li><b>Next Activity</b>: Text field</li> </ul> </li> <li><b>Valid Dates</b> section: <ul style="list-style-type: none"> <li><b>From</b>: Text field</li> <li><b>To</b>: Text field</li> </ul> </li> <li><b>Sponsor</b>: Text field</li> <li><b>Managed by</b>: Text field</li> <li><b>Status</b>: Text field</li> <li><b>Success Criteria</b>: Text field</li> <li><b>Allow Expenses</b>: Check box</li> <li><b>Students</b> section: <ul style="list-style-type: none"> <li><b>Minimum</b>: Text field</li> <li><b>Maximum</b>: Text field</li> <li><b>Max Internal</b>: Text field</li> </ul> </li> <li><b>Costs</b> section: <ul style="list-style-type: none"> <li><b>Currency</b>: Text field</li> <li><b>Budget</b>: Text field</li> <li><b>Actual</b>: Text field</li> </ul> </li> <li><b>Duration</b> section: <ul style="list-style-type: none"> <li><b>Length</b>: Text field</li> <li><b>Units</b>: Dropdown menu</li> </ul> </li> <li><b>Professional Credits</b> section: <ul style="list-style-type: none"> <li><b>Type</b>: Text field</li> <li><b>Amount</b>: Text field</li> </ul> </li> </ul> <p>At the bottom, there are buttons for <b>Competencies</b>, <b>Other Information</b>, <b>Categories</b>, <b>Resources</b>, and <b>Copy Objects</b>.</p>

*Continued on next page*

## Defining a Local Activity, Continued

---



### Completing the Activities Window (continued)

Step	Action
3 	<p>The <b>Activity Type</b> and <b>Description</b> display the nine expanded OPM Training Course Code Types and expanded functional codes for a total of 21 selection codes. These codes should not be altered.</p> <p><b>Caution:</b> Use the [Tab] key to proceed to each data field; the up/down keys will move you to a new <b>Activity</b> window. If you inadvertently use the arrow keys and a new <b>Activity</b> window opens, click <b>Go</b> on the Toolbar and select <b>Previous Record</b> to return to your working window.</p>
4	Select the <b>Concurrent Activities Checkbox</b> to set up multiple activities of the same type with different validity dates. For example, you may have an activity that is delivered as both a day course and as an evening course.
5 	<p>Click the DDF to open the <b>Additional Activity Information</b> window.</p> <p><b>Note:</b> All data fields are currently optional.</p>

*Continued on next page*

## Defining an Activity, Continued


### Completing the Additional Activity Information

Step	Action																
1	Click in the Descriptive flexfield  to invoke the Additional Activity window, and complete the following:																
	<table> <tr> <th>Data Field</th><th>Description/Action</th></tr> <tr> <td>Quotas Requested 1<sup>st</sup> Qtr</td><td>Type in number (optional field).</td></tr> <tr> <td>Quotas Requested 2<sup>nd</sup> Qtr</td><td>Type in number (optional field).</td></tr> <tr> <td>Quotas Requested 3<sup>rd</sup> Qtr</td><td>Type in number (optional field).</td></tr> <tr> <td>Quotas Requested 4<sup>th</sup> Qtr</td><td>Type in number (optional field).</td></tr> <tr> <td>Date Approved</td><td>Type in date (optional field).</td></tr> <tr> <td>Date Disapproved/Canceled</td><td>Type in date, if disapproved (optional field).</td></tr> <tr> <td>Required Security Clearance</td><td>Defaults to N (No Clearance) to make a selection for the Security Clearance for the Activity (optional field).</td></tr> </table>	Data Field	Description/Action	Quotas Requested 1 <sup>st</sup> Qtr	Type in number (optional field).	Quotas Requested 2 <sup>nd</sup> Qtr	Type in number (optional field).	Quotas Requested 3 <sup>rd</sup> Qtr	Type in number (optional field).	Quotas Requested 4 <sup>th</sup> Qtr	Type in number (optional field).	Date Approved	Type in date (optional field).	Date Disapproved/Canceled	Type in date, if disapproved (optional field).	Required Security Clearance	Defaults to N (No Clearance) to make a selection for the Security Clearance for the Activity (optional field).
Data Field	Description/Action																
Quotas Requested 1 <sup>st</sup> Qtr	Type in number (optional field).																
Quotas Requested 2 <sup>nd</sup> Qtr	Type in number (optional field).																
Quotas Requested 3 <sup>rd</sup> Qtr	Type in number (optional field).																
Quotas Requested 4 <sup>th</sup> Qtr	Type in number (optional field).																
Date Approved	Type in date (optional field).																
Date Disapproved/Canceled	Type in date, if disapproved (optional field).																
Required Security Clearance	Defaults to N (No Clearance) to make a selection for the Security Clearance for the Activity (optional field).																
2	<p>Click &lt;OK&gt; on the <b>Additional Activity Information</b> window once you have completed the data fields.</p> <p><b>Example:</b></p> 																
3	The populated <b>Activities</b> window opens. Click the <i>Save</i> icon.																

*Continued on next page*

## Defining a Local Activity, Continued


### Entering a Local Activity Name

Step	Action																				
4	With your cursor in the <b>Name</b> data field, scroll through the Activity (Course) Names using the Page Down or Page Up keys to locate the one that matches the TRF from your Civilian Inbox or which you plan to define. If you do not find a match to the Activity you wish to locate, you may begin to define an Activity.																				
5	To enter a new activity name (local course), select the activity type (e.g., Orientation, Acquisition, Executive) that most closely relates to the new course. With your cursor in the activity name field, select the New Record Button  on the Toolbar. This will clear the last record and allow you to input information for the new Activity name and remaining fields in the Activity Region:																				
	<table> <tr> <th>Fields, Buttons, and Checkboxes</th><th>Description/Action</th></tr> <tr> <td><b>Activity Region:</b></td><td></td></tr> <tr> <td><b>Name</b></td><td>Type in the name of the new activity up to 2000 characters. (mixed case)</td></tr> <tr> <td><b>Description</b></td><td>Type in up to 2000 characters.</td></tr> <tr> <td><b>Audience</b></td><td>Type in up to 2000 characters.</td></tr> <tr> <td><b>Objectives</b></td><td>Type in up to 2000 characters.</td></tr> <tr> <td><b>Supplier</b></td><td>Click the LOV. See procedures in this chapter to Build a Local Supplier.</td></tr> <tr> <td><b>Language</b></td><td>Defaults to American English.</td></tr> <tr> <td><b>Next Activity</b></td><td>Used to identify the successor activity after the current activity has been end dated. (Optional)</td></tr> <tr> <td><b>Sponsor Org.</b></td><td>Populates with your organization but you can override by clicking the LOV and selecting another UIC or PAS code.</td></tr> </table>	Fields, Buttons, and Checkboxes	Description/Action	<b>Activity Region:</b>		<b>Name</b>	Type in the name of the new activity up to 2000 characters. (mixed case)	<b>Description</b>	Type in up to 2000 characters.	<b>Audience</b>	Type in up to 2000 characters.	<b>Objectives</b>	Type in up to 2000 characters.	<b>Supplier</b>	Click the LOV. See procedures in this chapter to Build a Local Supplier.	<b>Language</b>	Defaults to American English.	<b>Next Activity</b>	Used to identify the successor activity after the current activity has been end dated. (Optional)	<b>Sponsor Org.</b>	Populates with your organization but you can override by clicking the LOV and selecting another UIC or PAS code.
Fields, Buttons, and Checkboxes	Description/Action																				
<b>Activity Region:</b>																					
<b>Name</b>	Type in the name of the new activity up to 2000 characters. (mixed case)																				
<b>Description</b>	Type in up to 2000 characters.																				
<b>Audience</b>	Type in up to 2000 characters.																				
<b>Objectives</b>	Type in up to 2000 characters.																				
<b>Supplier</b>	Click the LOV. See procedures in this chapter to Build a Local Supplier.																				
<b>Language</b>	Defaults to American English.																				
<b>Next Activity</b>	Used to identify the successor activity after the current activity has been end dated. (Optional)																				
<b>Sponsor Org.</b>	Populates with your organization but you can override by clicking the LOV and selecting another UIC or PAS code.																				

*Continued on next page*

## Defining a Local Activity, Continued

### Entering a Local Activity Name (continued)

Step	Action	
5 (cont)	<b>Fields, Buttons, and Checkboxes</b>	<b>Description/Action</b>
	<b>Activity Region:</b>	
	<b>Managed by</b>	Type in the manager's name or registrar responsible. (optional)
	<b>Status</b>	Grayed out.
	<b>Success Criteria</b>	Grayed out.
	<b>Allow Expenses Checkboxes</b>	Not customized for DoD use.
	<b>Valid Dates Region</b>	<p>Automatically opens the start (<b><i>From</i></b>) date when the activity is built. The (<b><i>To</i></b>) date is entered when the activity is ended.</p> <p> <b>Note:</b> End dating should be used sparingly as activities can be reused indefinitely.</p>
	<b>Students Region:</b>	
	<b>Maximum</b>	Type in number of students. Populates when you complete the <b>Scheduled Event Window</b> . (optional)
	<b>Minimum</b>	Type in number of students.
	<b>Max Internal</b>	Type in number of students.
	<b>Costs Region:</b>	
	<b>Currency</b>	Defaults to USD.
	<b>Budget</b>	Type in total projected course cost (optional).
	<b>Actual</b>	Leave blank while building the Activity; input when known.

*Continued on next page*



## Defining a Local Activity, Continued

### Entering a Local Activity Name (continued)

Step	Action	
5 (cont)	<b>Fields, Buttons, and Checkboxes</b>	<b>Description/Action</b>
	<b>Duration Region:</b>	
	<b>Length</b>	Input number to match unit; e.g., 1 (week).
	<b>Units</b>	Select from drop down menu. Defaults to hours.
	<b>Professional Credits Region</b>	Add choices using Local Codes on the LOV. Professional_Credit_Type
	<b>DDF</b>	For Air Force use only (under development).
	<b>Taskflow Buttons:</b>	For local use:
	<b>&lt;Skills&gt;</b>	Will be used to enter information about the skills the activity is expected to provide; does not flow to CMIS. This information will be updated through the Look up Codes on the <b>Navigation List</b> .
	<b>&lt;Categories&gt;</b>	Used locally to group activities into three types – program, classification, package (e.g., acquisition, VRA). This information will be updated through the Look up Codes on the <b>Navigation List</b> .
	<b>&lt;Resources&gt;</b>	Used to specify resources required or useful to run the event for the activity; e.g., classroom equipment, trainer, venue. This information will be updated through the Look up Codes on the <b>Navigation List</b> . See Building and Booking Resources in this chapter.
	<b>&lt;Copy Objects&gt;</b>	Opens to show <b>Copy From</b> data field (with the activity auto-populated), <b>New Activity</b> data field, and four checkboxes (Categories, Resource Usages, Price List entries, Skills), and a <b>&lt;Copy&gt;</b> Taskflow Button.
4	Click Save on the Toolbar.	

*Continued on next page*

## Defining a Local Activity, Continued

### Entering a Local Activity Name (continued)

#### Activity Window

Example of a completed Activity window:

The screenshot shows the 'Activities' window with the following data:

Activity Information		Valid Dates	
Activity Type	1-A EXECUTIVE	From	02-JAN-1951
Description	1-A EXECUTIVE	To	
<b>Activity Details</b>			
Inventory Organization		Sponsor	CIVDODHR
Inventory Item		Managed by	
Name	Ach Meas Outcom Resu	Status	
Description	The role and impact of the Government Perform	Success Criteria	<input type="checkbox"/> Allow Expenses
Audience			
Objectives			
Supplier			
Language	American English		
Next Activity			
<b>Students</b>		<b>Costs</b>	<b>Duration</b>
Minimum		Currency	USD
Maximum	0	Budget	0.00
Max Internal		Actual	0.00
		Length	16
		Units	Hour
		<b>Professional Credits</b>	
		Type	
		Amount	

Buttons at the bottom: Competencies, Other Information, Categories, Resources, Copy Objects

## Scheduling an Event

---

**Purpose** This procedure will guide you through the steps to schedule an Event which is the third action taken after a **TRF** is completed or received in the **Workflow Inbox**, and before an employee can be enrolled in training.

---

**Definitions** **Event** - a specific instance of an Activity (course) scheduled to run on given dates, or a one-time **Event**, which is not related to an Activity. An Event can run any period of time you choose; e.g., several hours, days, or weeks.

**Session** - a unit of time within an **Event** for which you can independently book resources.

**Example:** To help you create a detailed agenda for an **Event**, you can break it down into shorter sessions, specifying the location with start and end times of each session. You might divide a one-day Event into four two-hour sessions.

---

**Who Does This** Components will determine who has this responsibility. A standard naming convention for Event title may be needed.



## Scheduling an Event, Continued

---

### Before You Begin

- When you are ready to run an **Activity** (course), you create a scheduled **Event** for which you can book resources and enroll students.
  - An **Event** may run for any period of time you choose, that is several hours, days, or weeks.
  - There is no limit on the number of **Events** you can schedule for an Activity.
- If the Training Center location you need is not included, you can add it by following the instructions in Setting up Local Codes in Chapter 7.
- You can also:
  - Break down an **Event** into sessions. Sessions are discrete topics or time slots within an **Event**. You must enter the times using a 24-hour clock to include colons; e.g., 08:00.
  - Restrict an **Event** to internal employees or customers.
  - View or enter categories for the **Event**.

**Example:** You may run the **Event** “*Using the DCPDS*” over a two week period setting up a session for each day in the two weeks. The first session on Day 1 might be “*Introducing the DCPDS*”; the second session on Day 2 might be “*Getting Started,*” through the 10<sup>th</sup> day of the Activity (course).

- You can book resources, such as venues (locations) and trainers, for the whole **Event** or for individual sessions.
- Using Quick Codes, you can add other choices to the Event Status.
- Other Navigator menu choices under Events besides Scheduled include:
  - Programs – not used by DoD, can be used to set up sequence type training for special programs such as intern training.
  - Development – not used by DoD.
  - One-Time Event – see procedures in this chapter.
  - Event Search – can use for search purposes or to **build and book resources**.

---

*Continued on next page*

## Scheduling an Event, Continued

### How To Access the Scheduled Event Window

**Navigation Path** → *Events* → *Scheduled* → **<Open>**.

The screenshot shows the 'Scheduled Event' window with the following fields and sections:

- Title:** [Text Field]
- Activity:** [Text Field]
- Training Center:** [Text Field]
- Location:** [Text Field]
- Owner:** [Text Field]
- From:** [Date Field]
- To:** [Date Field]
- Duration:** [Text Field]
- Units:** [Dropdown Menu, currently set to 'Day']
- Secure:** ☐
- Resource bookings:** ☐
- Program Only:** ☐
- Administration:**
  - Supplier:** [Text Field]
  - Sponsor:** [Text Field]
  - Status:** [Dropdown Menu, currently set to 'Normal']
  - User Status:** [Text Field]
  - Language:** [Text Field]
- Enrollment:**
  - Start:** [Date Field, currently set to '19-JUN-2003']
  - End:** [Date Field]
  - Restricted:** ☐
- Students:**
  - Minimum:** [Text Field]
  - Maximum:** [Text Field]
  - Internal:** [Text Field]
- Order Details:**
  - Order Number:** [Text Field]
  - Line Number:** [Text Field]
- Cost:**
  - Currency:** [Text Field]
  - Budget:** [Text Field]
  - Actual:** [Text Field]
- Project:**
  - Number:** [Text Field]
  - Name:** [Text Field]
- Price:**
  - Basis:** [Dropdown Menu, currently set to 'Student']
  - Currency:** [Text Field, currently set to 'USD']
  - Amount:** [Text Field]
  - Invoiced:** [Text Field]










At the bottom, there are four buttons: **Change Details**, **Assignments**, **Activity Categories**, and **Sessions**.

Taskflow Button	Description/Action
<Change Status>	To change the status of an <b>Event</b> by: <ul style="list-style-type: none"> <li>Closing or</li> <li>Canceling or</li> <li>Changing to Placed, Full, or others you may establish using Quick Codes. See Changing the Event Status in this Chapter.</li> </ul>
<Assignments>	See procedure, Restricting an Event, in this chapter.
<Categories>	To group activities into three types.
<Sessions>	To create additional sessions.

*Continued on next page*

## Scheduling an Event, Continued


### Completing the scheduled Event Window

Step	Action						
1	Place your cursor in the <b>Title</b> data field and complete the following:						
	<table> <tr> <th>Data Field</th><th>Description/Action</th></tr> <tr> <td><b>Title</b></td><td> <p>Type in a title (<b>ALL CAPS</b>, 80 characters or less) to identify the <b>Event</b>; e.g., Supervisory Training 2001-1. If you leave the title field blank, you will get a system-generated number, which is difficult to use to identify the <b>Event</b> later when you try to query. The title you enter or the system-generated number opens in a column on the <b>Enrollment Details</b> window when you reopen.</p> <p> <b>Note:</b> Components or local installations should determine how this title will be used. For example, you may want to include a location, start date, or component unique number; e.g., NWRegion.</p> <p> <b>Caution:</b> If you are trying to query on a title, be sure you have pressed F11 or enter query. Otherwise, the system will think you are establishing a new title that will result in a title that looks like %Admin%. If you realize you have not set up a query, click the clear record button  on the Toolbar and start over.</p> </td></tr> <tr> <td><b>Activity</b></td><td> <p>Click the LOV to select the <b>Activity</b>. This title appears in the employee Completed Training record. Certain information such as Status and Language auto-populates from the <b>Activity</b> window, but you can override it.</p> </td></tr> </table>	Data Field	Description/Action	<b>Title</b>	<p>Type in a title (<b>ALL CAPS</b>, 80 characters or less) to identify the <b>Event</b>; e.g., Supervisory Training 2001-1. If you leave the title field blank, you will get a system-generated number, which is difficult to use to identify the <b>Event</b> later when you try to query. The title you enter or the system-generated number opens in a column on the <b>Enrollment Details</b> window when you reopen.</p> <p> <b>Note:</b> Components or local installations should determine how this title will be used. For example, you may want to include a location, start date, or component unique number; e.g., NWRegion.</p> <p> <b>Caution:</b> If you are trying to query on a title, be sure you have pressed F11 or enter query. Otherwise, the system will think you are establishing a new title that will result in a title that looks like %Admin%. If you realize you have not set up a query, click the clear record button  on the Toolbar and start over.</p>	<b>Activity</b>	<p>Click the LOV to select the <b>Activity</b>. This title appears in the employee Completed Training record. Certain information such as Status and Language auto-populates from the <b>Activity</b> window, but you can override it.</p>
Data Field	Description/Action						
<b>Title</b>	<p>Type in a title (<b>ALL CAPS</b>, 80 characters or less) to identify the <b>Event</b>; e.g., Supervisory Training 2001-1. If you leave the title field blank, you will get a system-generated number, which is difficult to use to identify the <b>Event</b> later when you try to query. The title you enter or the system-generated number opens in a column on the <b>Enrollment Details</b> window when you reopen.</p> <p> <b>Note:</b> Components or local installations should determine how this title will be used. For example, you may want to include a location, start date, or component unique number; e.g., NWRegion.</p> <p> <b>Caution:</b> If you are trying to query on a title, be sure you have pressed F11 or enter query. Otherwise, the system will think you are establishing a new title that will result in a title that looks like %Admin%. If you realize you have not set up a query, click the clear record button  on the Toolbar and start over.</p>						
<b>Activity</b>	<p>Click the LOV to select the <b>Activity</b>. This title appears in the employee Completed Training record. Certain information such as Status and Language auto-populates from the <b>Activity</b> window, but you can override it.</p>						

*Continued on next page*

## Scheduling an Event, Continued




### Completing the scheduled Event Window (continued)

Step	Action	
1 (cont)		
	<b>Data Field</b>	<b>Description/Action</b>
	<b>Training Center</b>	Click the LOV or type the first few letters to select the Training Center location of the Activity. <i>To be determined</i> is an LOV choice if location has not been set.
	<b>Secure Checkbox</b>	Click if you want to limit updates to the sponsoring or administering organization.
	<b>From</b> 	Type the start date. The time of day is optional. <b>Note:</b> You cannot backdate an <b>Event</b> .

*Continued on next page*

## Scheduling an Event, Continued

### Completing the scheduled Event Window (continued)




Step	Action																
1 (cont)	<table> <tr> <th>Data Field</th><th>Description/Action</th></tr> <tr> <td> <b>To</b>    </td><td> Type the end date with the time of day in the next field.   <b>◆ Example:</b> Use the time format of 14:00 for 2 PM if you want to create sessions.   <b>Notes:</b> <ul style="list-style-type: none"> <li>• Leave start and end dates blank if you want to create an <b>Event</b> with the Status of “Planned”; if you do not enter dates, the Event cannot have the status of “Normal.”</li> <li>• Leave the time of day blank if you are not creating sessions.</li> </ul> Also, ensure the times you enter start on (or before) and finish on (or after) the earliest and latest session times. </td></tr> <tr> <td><b>Resource bookings Checkbox</b></td><td>Select the checkbox if you have booked resources for an <b>Event</b>.</td></tr> <tr> <td><b>Duration</b></td><td>Type in length of unit; e.g., 40 if your units = hours. The system defaults to hours.</td></tr> <tr> <td><b>Units</b></td><td>Defaults to hours but you can override it.</td></tr> <tr> <td><b>Program Only Checkbox</b></td><td>Select to make the <b>Event</b> part of a program and restrict attendees.</td></tr> <tr> <td><b>Supplier</b></td><td>Select Supplier from LOV.</td></tr> <tr> <td><b>Sponsor</b></td><td>Populates from Activity.</td></tr> </table>	Data Field	Description/Action	<b>To</b>  	Type the end date with the time of day in the next field.  <b>◆ Example:</b> Use the time format of 14:00 for 2 PM if you want to create sessions.  <b>Notes:</b> <ul style="list-style-type: none"> <li>• Leave start and end dates blank if you want to create an <b>Event</b> with the Status of “Planned”; if you do not enter dates, the Event cannot have the status of “Normal.”</li> <li>• Leave the time of day blank if you are not creating sessions.</li> </ul> Also, ensure the times you enter start on (or before) and finish on (or after) the earliest and latest session times.	<b>Resource bookings Checkbox</b>	Select the checkbox if you have booked resources for an <b>Event</b> .	<b>Duration</b>	Type in length of unit; e.g., 40 if your units = hours. The system defaults to hours.	<b>Units</b>	Defaults to hours but you can override it.	<b>Program Only Checkbox</b>	Select to make the <b>Event</b> part of a program and restrict attendees.	<b>Supplier</b>	Select Supplier from LOV.	<b>Sponsor</b>	Populates from Activity.
Data Field	Description/Action																
<b>To</b>  	Type the end date with the time of day in the next field.  <b>◆ Example:</b> Use the time format of 14:00 for 2 PM if you want to create sessions.  <b>Notes:</b> <ul style="list-style-type: none"> <li>• Leave start and end dates blank if you want to create an <b>Event</b> with the Status of “Planned”; if you do not enter dates, the Event cannot have the status of “Normal.”</li> <li>• Leave the time of day blank if you are not creating sessions.</li> </ul> Also, ensure the times you enter start on (or before) and finish on (or after) the earliest and latest session times.																
<b>Resource bookings Checkbox</b>	Select the checkbox if you have booked resources for an <b>Event</b> .																
<b>Duration</b>	Type in length of unit; e.g., 40 if your units = hours. The system defaults to hours.																
<b>Units</b>	Defaults to hours but you can override it.																
<b>Program Only Checkbox</b>	Select to make the <b>Event</b> part of a program and restrict attendees.																
<b>Supplier</b>	Select Supplier from LOV.																
<b>Sponsor</b>	Populates from Activity.																

*Continued on next page*



## Scheduling an Event, Continued

### Completing the scheduled Event Window (continued)

Step	Action																			
1 (cont)	<table><tr><th>Data Field</th><th>Description/Action</th></tr><tr><td><div>Status</div><div></div></td><td>Defaults to Normal. You can use Quick Codes to add or change choices on the LOV.  <b>Note:</b> Event status controls the type of enrollments you can enter for the Event.</td></tr><tr><td>User Status</td><td>Not used by DoD.</td></tr><tr><td>Language</td><td>Click the LOV to select a language.</td></tr><tr><td>Enrollment Start/End</td><td>Defaults to class start and end date. Override with the dates you need enrollments to start and end.</td></tr><tr><td>Restricted Checkbox</td><td>Select if you want to restrict enrollments to internal students with certain assignments, or to restrict enrollments to external students from selected customers; otherwise, leave the box unchecked to open the <b>Event</b> to any customer or external student.</td></tr><tr><td>Students Region:</td><td></td></tr><tr><td>Minimum/ Maximum/</td><td>Input the minimum and maximum number of students. OTA automatically sets the <b>Event</b> status to “Full” when the maximum is reached when you complete the <b>Event Status Change</b> Window. (optional)</td></tr><tr><td>Internal</td><td>Optional field. Use to limit the number who can attend from one organization on the same date.</td></tr></table>	Data Field	Description/Action	<div>Status</div> <div></div>	Defaults to Normal. You can use Quick Codes to add or change choices on the LOV.  <b>Note:</b> Event status controls the type of enrollments you can enter for the Event.	User Status	Not used by DoD.	Language	Click the LOV to select a language.	Enrollment Start/End	Defaults to class start and end date. Override with the dates you need enrollments to start and end.	Restricted Checkbox	Select if you want to restrict enrollments to internal students with certain assignments, or to restrict enrollments to external students from selected customers; otherwise, leave the box unchecked to open the <b>Event</b> to any customer or external student.	Students Region:		Minimum/ Maximum/	Input the minimum and maximum number of students. OTA automatically sets the <b>Event</b> status to “Full” when the maximum is reached when you complete the <b>Event Status Change</b> Window. (optional)	Internal	Optional field. Use to limit the number who can attend from one organization on the same date.	
	Data Field	Description/Action																		
	<div>Status</div> <div></div>	Defaults to Normal. You can use Quick Codes to add or change choices on the LOV.  <b>Note:</b> Event status controls the type of enrollments you can enter for the Event.																		
	User Status	Not used by DoD.																		
	Language	Click the LOV to select a language.																		
	Enrollment Start/End	Defaults to class start and end date. Override with the dates you need enrollments to start and end.																		
	Restricted Checkbox	Select if you want to restrict enrollments to internal students with certain assignments, or to restrict enrollments to external students from selected customers; otherwise, leave the box unchecked to open the <b>Event</b> to any customer or external student.																		
	Students Region:																			
	Minimum/ Maximum/	Input the minimum and maximum number of students. OTA automatically sets the <b>Event</b> status to “Full” when the maximum is reached when you complete the <b>Event Status Change</b> Window. (optional)																		
Internal	Optional field. Use to limit the number who can attend from one organization on the same date.																			

*Continued on next page*

## Scheduling an Event, Continued

### Completing the scheduled Event Window (continued)

Step	Action																						
1 (cont)	<table> <tr> <th>Data Field</th><th>Description/Action</th></tr> <tr> <td><b>Cost Region:</b></td><td></td></tr> <tr> <td><b>Currency</b></td><td>Click the LOV to select currency used. You must have USD in the <b>Currency</b> data field in order to enter a dollar amount in the <b>Amount</b> data field.</td></tr> <tr> <td><b>Budget</b></td><td>Auto-populates amount from <b>Activity</b> window.</td></tr> <tr> <td><b>Actual</b></td><td>Defaults to "0".</td></tr> <tr> <td><b>Price Region</b></td><td></td></tr> <tr> <td><b>Basis</b></td><td>Defaults to Student. Click the drop-down menu to make other choices.</td></tr> <tr> <td><b>Currency</b></td><td>Type in USD.</td></tr> <tr> <td><b>Amount</b></td><td></td></tr> <tr> <td><b>Invoiced</b></td><td>Leave blank; field protected against update.</td></tr> <tr> <td><b>DDF</b></td><td>Click to open the <b>Additional Event Information</b> window.</td></tr> </table>	Data Field	Description/Action	<b>Cost Region:</b>		<b>Currency</b>	Click the LOV to select currency used. You must have USD in the <b>Currency</b> data field in order to enter a dollar amount in the <b>Amount</b> data field.	<b>Budget</b>	Auto-populates amount from <b>Activity</b> window.	<b>Actual</b>	Defaults to "0".	<b>Price Region</b>		<b>Basis</b>	Defaults to Student. Click the drop-down menu to make other choices.	<b>Currency</b>	Type in USD.	<b>Amount</b>		<b>Invoiced</b>	Leave blank; field protected against update.	<b>DDF</b>	Click to open the <b>Additional Event Information</b> window.
Data Field	Description/Action																						
<b>Cost Region:</b>																							
<b>Currency</b>	Click the LOV to select currency used. You must have USD in the <b>Currency</b> data field in order to enter a dollar amount in the <b>Amount</b> data field.																						
<b>Budget</b>	Auto-populates amount from <b>Activity</b> window.																						
<b>Actual</b>	Defaults to "0".																						
<b>Price Region</b>																							
<b>Basis</b>	Defaults to Student. Click the drop-down menu to make other choices.																						
<b>Currency</b>	Type in USD.																						
<b>Amount</b>																							
<b>Invoiced</b>	Leave blank; field protected against update.																						
<b>DDF</b>	Click to open the <b>Additional Event Information</b> window.																						
2	<b>Additional Event Information</b> window opens. See steps to complete in the next procedure.																						

*Continued on next page*

## Scheduling an Event, Continued




### Completing the Additional Event Information Window

Step	Action																														
3	<p>With your cursor in the first field, complete the following:</p> <table> <tr> <th>Data Field</th><th>Description/Action</th></tr> <tr> <td><b>Agency Group</b></td><td>Click the LOV (required field).</td></tr> <tr> <td><b>Method</b></td><td>Click the LOV (required field).</td></tr> <tr> <td><b>Tuition Per Student</b></td><td>Type in the dollar amount. This may be a different amount depending on the student.</td></tr> <tr> <td><b>Books/Material/Other Fees</b></td><td>Type in cost, if known.</td></tr> <tr> <td><b>Total Direct Cost</b></td><td>System totals sum of Tuition Per Student and Book/Material/Other fees from previous data fields.</td></tr> <tr> <td><b>Total Indirect Cost</b></td><td>Enter total indirect cost.</td></tr> <tr> <td><b>Total Event Cost</b></td><td>Leave blank. Once you save the DDF and open again, the total opens.</td></tr> <tr> <td><b>Date Voucher Paid</b></td><td>Leave blank – data field to be moved to another window.</td></tr> <tr> <td><b>Billing Organization</b></td><td>Type in name of organization that will pay invoice, to include email if needed.</td></tr> <tr> <td><b>Street</b></td><td>Type in street address of billing organization.</td></tr> <tr> <td><b>City/State/Zip</b></td><td>Type in the city, state, and zip code.</td></tr> <tr> <td><b>ATTN:</b></td><td>Type in name of person in billing organization.</td></tr> <tr> <td><b>Phone</b></td><td>Type in phone number of billing organization.</td></tr> <tr> <td><b>Additional Event Information</b></td><td>Click LOV. (WHS/AFTMS use only)</td></tr> </table>	Data Field	Description/Action	<b>Agency Group</b>	Click the LOV (required field).	<b>Method</b>	Click the LOV (required field).	<b>Tuition Per Student</b>	Type in the dollar amount. This may be a different amount depending on the student.	<b>Books/Material/Other Fees</b>	Type in cost, if known.	<b>Total Direct Cost</b>	System totals sum of Tuition Per Student and Book/Material/Other fees from previous data fields.	<b>Total Indirect Cost</b>	Enter total indirect cost.	<b>Total Event Cost</b>	Leave blank. Once you save the DDF and open again, the total opens.	<b>Date Voucher Paid</b>	Leave blank – data field to be moved to another window.	<b>Billing Organization</b>	Type in name of organization that will pay invoice, to include email if needed.	<b>Street</b>	Type in street address of billing organization.	<b>City/State/Zip</b>	Type in the city, state, and zip code.	<b>ATTN:</b>	Type in name of person in billing organization.	<b>Phone</b>	Type in phone number of billing organization.	<b>Additional Event Information</b>	Click LOV. (WHS/AFTMS use only)
Data Field	Description/Action																														
<b>Agency Group</b>	Click the LOV (required field).																														
<b>Method</b>	Click the LOV (required field).																														
<b>Tuition Per Student</b>	Type in the dollar amount. This may be a different amount depending on the student.																														
<b>Books/Material/Other Fees</b>	Type in cost, if known.																														
<b>Total Direct Cost</b>	System totals sum of Tuition Per Student and Book/Material/Other fees from previous data fields.																														
<b>Total Indirect Cost</b>	Enter total indirect cost.																														
<b>Total Event Cost</b>	Leave blank. Once you save the DDF and open again, the total opens.																														
<b>Date Voucher Paid</b>	Leave blank – data field to be moved to another window.																														
<b>Billing Organization</b>	Type in name of organization that will pay invoice, to include email if needed.																														
<b>Street</b>	Type in street address of billing organization.																														
<b>City/State/Zip</b>	Type in the city, state, and zip code.																														
<b>ATTN:</b>	Type in name of person in billing organization.																														
<b>Phone</b>	Type in phone number of billing organization.																														
<b>Additional Event Information</b>	Click LOV. (WHS/AFTMS use only)																														

*Continued on next page*

## Scheduling an Event, Continued


### Completing the Additional Event Information Window (continued)

Step	Action
4	<p>Click the &lt;OK&gt; button and click <b>Save</b> icon.</p> <p><b>Example:</b></p> 
5	<p>The <b>Scheduled Event</b> window opens with the data populated.</p> <p>Click Save  on the Toolbar.</p> <p><b>Example:</b></p> 

## Querying for an Event

### Querying for an Event



In addition to the Querying methods you learned in the Fundamentals Module, OTA has a unique querying feature with the **Find Events** window that allows you to specify the Type of Event by Activity, Center, or Status. Use the following steps to query for an Event.

Step	Action
1	<b>Navigation Path</b> → <i>Events</i> → <i>Events Search</i> → <b>&lt;Open&gt;</b> .
2	<p>The <b>Search for Event</b> window opens. Query for the Event by pressing the F11 button / CTRL + F11 and using the <i>Current Record Indicator</i> to find the Event you want.</p> <p>Or</p> <p>Press F11, place the cursor in the Title or Activity block, type a portion of the name (e.g., %Man%) and Press Ctrl + F11.</p> 
3	Click <b>&lt;Find&gt;</b> . The <b>Search for Event</b> window opens with the selected Event(s) populated.
4	Select the Event you need and continue your action.

*Continued on next page*

## Copying an Event


### Copying an Event

Step	Action																				
1	With the <b>Scheduled Event</b> window open you need to copy, click the New Record button on the toolbar  .																				
2	<p>A new <b>Scheduled Event</b> window opens.</p> <p>With your cursor on each data field you want to duplicate from the previous Event.</p> <p> <b>Note:</b> New data must be entered in the DDF, as it will not copy.</p> <table border="1"> <thead> <tr> <th>Data Field</th><th>Description/Action</th></tr> </thead> <tbody> <tr> <td><b>Title</b></td><td>Will be blank; type in a unique title that you will be able to identify later.</td></tr> <tr> <td><b>Activity</b></td><td>Press F3 on the keyboard to populate.</td></tr> <tr> <td><b>Center</b></td><td>Press F3 to populate.</td></tr> <tr> <td><b>From and To</b></td><td>If you do not plan to use the dates from the original Event, input new dates and hours.</td></tr> <tr> <td><b>Duration</b></td><td>Click F3 to populate.</td></tr> <tr> <td><b>Units</b></td><td>Defaults to day when you press F3; you can override.</td></tr> <tr> <td><b>Status</b></td><td>Defaults to Normal as you are creating a new record.</td></tr> <tr> <td><b>Enrollment Region</b></td><td>Defaults to today's date; type in the dates needed.</td></tr> <tr> <td><b>Price Region</b></td><td>Defaults to Student; select from the drop-down menu.</td></tr> </tbody> </table>	Data Field	Description/Action	<b>Title</b>	Will be blank; type in a unique title that you will be able to identify later.	<b>Activity</b>	Press F3 on the keyboard to populate.	<b>Center</b>	Press F3 to populate.	<b>From and To</b>	If you do not plan to use the dates from the original Event, input new dates and hours.	<b>Duration</b>	Click F3 to populate.	<b>Units</b>	Defaults to day when you press F3; you can override.	<b>Status</b>	Defaults to Normal as you are creating a new record.	<b>Enrollment Region</b>	Defaults to today's date; type in the dates needed.	<b>Price Region</b>	Defaults to Student; select from the drop-down menu.
Data Field	Description/Action																				
<b>Title</b>	Will be blank; type in a unique title that you will be able to identify later.																				
<b>Activity</b>	Press F3 on the keyboard to populate.																				
<b>Center</b>	Press F3 to populate.																				
<b>From and To</b>	If you do not plan to use the dates from the original Event, input new dates and hours.																				
<b>Duration</b>	Click F3 to populate.																				
<b>Units</b>	Defaults to day when you press F3; you can override.																				
<b>Status</b>	Defaults to Normal as you are creating a new record.																				
<b>Enrollment Region</b>	Defaults to today's date; type in the dates needed.																				
<b>Price Region</b>	Defaults to Student; select from the drop-down menu.																				
3	Click Save on the Toolbar once you have completed all fields and proceed with your action on the Event.																				

## Changing the Event Status

### Changing the Event Status



Once you have scheduled an **Event**, you might need to make changes at a later time. The types of changes might include maximum number of students or status of the **Event**. Changing Max Attendees is discussed in Chapter 3.

Step	Action
1	Click the < <b>Change Details</b> > button on the <b>Scheduled Event</b> window.
2	<p>The <b>Event Status Change</b> window opens.</p>  <p>There are two buttons at the top of the window.</p> <ul style="list-style-type: none"> <li>• Change Max Attendees</li> <li>• Change Status</li> </ul> <ul style="list-style-type: none"> <li>• The <b>Students</b> Region has a Maximum field, which can be changed by increasing or decreasing the number.</li> <li>• The <b>Status</b> Region has the Event Status data field and the Enrollment Status data field with a checkbox for Set Maximum to Places Enrolled. If the Event is Full, you can prevent any new enrollments by changing the Event status to “Closed.” This automatically cancels any enrollments with the status “Requested” as those enrollments have not been confirmed or approved.</li> </ul> <p>The <b>Finance Lines</b> Region is not currently used by DoD.</p>

*Continued on next page*

## Changing the Event Status, Continued

### Changing the Event Status (continued)



Step	Action								
3	<p>Select the Change Status radio button.</p> <p> <b>Notes:</b> If the Secure checkbox is selected on the <b>Scheduled Event</b> window, you can update the Event if you are assigned to the organization that is administering the Event.</p>								
	<p>If the Event Status is:</p> <table border="1"> <tr> <td><b>Planned</b></td><td>All enrollments must be Requested, Waitlisted, or cancelled.</td></tr> <tr> <td><b>Full</b></td><td>You can only enter new Requested or Waitlisted enrollments.</td></tr> <tr> <td><b>Closed</b></td><td>If you close it, or the enrollment period elapses, you cannot enter new student enrollments.</td></tr> <tr> <td><b>Cancelled</b></td><td>All enrollments change automatically to status Cancelled, and you cannot enter any new enrollments.</td></tr> </table>	<b>Planned</b>	All enrollments must be Requested, Waitlisted, or cancelled.	<b>Full</b>	You can only enter new Requested or Waitlisted enrollments.	<b>Closed</b>	If you close it, or the enrollment period elapses, you cannot enter new student enrollments.	<b>Cancelled</b>	All enrollments change automatically to status Cancelled, and you cannot enter any new enrollments.
<b>Planned</b>	All enrollments must be Requested, Waitlisted, or cancelled.								
<b>Full</b>	You can only enter new Requested or Waitlisted enrollments.								
<b>Closed</b>	If you close it, or the enrollment period elapses, you cannot enter new student enrollments.								
<b>Cancelled</b>	All enrollments change automatically to status Cancelled, and you cannot enter any new enrollments.								
4	<p>With the cursor in the <i>Event Status</i> data field, click the LOV.</p> 								
5	Click "Cancelled" and click <OK>.								

*Continued on next page*



## Changing the Event Status, Continued




### Changing the Event Status (continued)

Step	Action
6	The <b>Enrollment Status</b> data field now opens, with your cursor in it, click the LOV.
7	<p>Click “Cancelled.” Click &lt;OK&gt;. A Caution Box opens and states “All Enrollments will be Cancelled.”</p> <p>Click &lt;OK&gt;.</p> <p> <b>Note:</b> When you select “Cancelled” or “Planned” from the Event Status LOV, the <b>Enrollment Status</b> data field on the <b>Event Status Change</b> window opens, with other choices.</p>
8	<p>To check the changes you made, re-query the Event and check the <b>Status</b> data field to see if the new status is reflected.</p> <p> <b>Note:</b> “Waitlisted” can be added to the LOV. See Chapter 7, Setting Up Local Codes for additional information.</p>

## Restricting an Event

### Restricting an Event

You can Restrict an Event to a specific organization, job title, or position, on the **Scheduled Event** window.

Step	Action
1	In the <b>Scheduled Event</b> window, select the <i>Restricted</i> checkbox  (under the Enrollment Region) then click the <b>&lt;Assignments&gt;</b> button.
2	<p>The <b>Valid Assignments for Restricted Event</b> window opens with the Event in parenthesis on the window title. Click the LOV to populate <i>Organization</i> and <i>Job</i> columns. Click Save on the Toolbar.</p> <p>◆ <b>Example:</b></p> 
3	Exit the window.
	<p><b>Note:</b> Future enrollments will allow you to enroll only those personnel you specified by Organization and Job series/title.</p>

## Creating a One-Time Event

### Purpose

This procedure guides you through the steps to create a One-Time Event when it is more appropriate than creating a Scheduled Event.




**Note:** You must run the *Submit One Time Event Update HR report* before you begin this process in order for the information to flow to Oracle HR. See Chapter 6, Reports, for details.

### Before You Begin

- You can create a One-Time Event for Events that are normally less than eight hours, do not require an Evaluation, and are mandated to be recorded in the employee's record. Examples would be training on Ethics, HIV, or computer security, which usually involves scheduling the entire workforce. **One-Time Events are based on a 24-hour clock.**
- The **One Time Event** window is designed for rapid entry of minimum event information to support student enrollments. It does not support the full features of the **Scheduled Events** window.
- Once you create a One Time Event, you cannot change it. You can query for it on the **Search for Event** window or enroll students in the **Enrollment Details** window.

### Creating a One-Time Event


Follow the steps below to create a One-Time Event. Use the same procedure in Chapter 3, Enrolling an Employee, once your event is built.

Step	Action
1	<b>Navigation Path</b> → <i>Events</i> → <i>One-Time</i> → <b>&lt;Open&gt;</b> .
2	<p>The <b>One Time Event</b> window opens. With your cursor in the <b>Title</b>, complete the following data fields:</p> 

*Continued on next page*

## Creating a One-Time Event, Continued

### Creating a One-Time Event (continued)

Step	Action	
2 (cont)	<b>Data Field</b>	<b>Description/Action</b>
	<b>Title</b>	Type in the Event title.
	<b>Center</b>	Click the LOV to make the selection.
	<b>Supplier</b>	Click the LOV to make the selection.
	<b>From</b>	Click the LOV to use the calendar. If a specific hour is used, it must be a 5-digit entry; i.e. 08:00 based on a 24-hour clock.
	<b>To</b>	Click the LOV to use the calendar. If a specific hour is used, it must be a 5-digit entry.
	<b>Duration</b>	Type in the number.
	<b>Hour</b>	Click on the drop-down menu to select hours, days, week, etc.
	<b>DDF</b>	Click the DDF to open the <b>Additional Event Information</b> Window.
3	<p>The <b>Additional Event Information</b> Window and its data fields are described in the procedure on Scheduling an Event in this chapter. Complete the window and click &lt;OK&gt;. Agency is a required data field.</p> 	
4	Save your action.	

*Continued on next page*

# Using the Bulletin Board

---

**Purpose**

This procedure guides you through the steps to initiate surveys, advertise training events, and post instructions for students on the Bulletin Board.

---

**See Also**

In this Module:

Overview

Chapter 1, Requesting Training

Section: Completing the Training Request Form

Chapter 3, Managing Enrollments, Cancellations, and Attendance

Section: Enrolling an Employee

---

**Who Has Access**

Components will determine who will be given access to the Bulletin Board to post Events and surveys.

---


**Before You Begin**

- The Bulletin Board will be the primary means of announcing annual and special surveys, advertising events for all or selected personnel, announcing event changes and cancellations, and to provide special reporting instructions for students.
  - To view the Bulletin Board announcements, click F11 / CTRL +F11. If there are a large number of entries, you can query either in the Title data field or the Text field.
    - All personnel may be assigned access to **view** the Bulletin Board.
- 

*Continued on next page*

## Using the Bulletin Board, Continued




### Using the Bulletin Board

Step	Action										
1	<b>Navigation Path</b> → <i>Bulletin Board</i> → <b>&lt;Open&gt;</b> .										
2	<p>The <b>Bulletin Board</b> window opens with three columns and a Text Box. Click F11 / CTRL +F11 to display current posted items. Complete the following data fields to post a new item.</p>  <p>The screenshot shows a window titled 'Bulletin Board'. It contains a table with three columns: 'Post Date', 'Title', and 'Expiration Date'. The 'Title' column is highlighted in yellow. Below the table is a large text box labeled 'Text'.</p> <table border="1"> <thead> <tr> <th>Data Fields</th><th>Description/Action</th></tr> </thead> <tbody> <tr> <td><b>Post Date</b></td><td>Date the message was posted to the Bulletin Board.</td></tr> <tr> <td><b>Title</b></td><td>The subject assigned to a message.</td></tr> <tr> <td><b>Expiration Date</b></td><td>Date the message will be removed.</td></tr> <tr> <td><b>Text Box</b></td><td>Provides spaces for additional information such as course description, length, size, dates, point of contact, or nomination deadline with 2000 characters available.</td></tr> </tbody> </table>	Data Fields	Description/Action	<b>Post Date</b>	Date the message was posted to the Bulletin Board.	<b>Title</b>	The subject assigned to a message.	<b>Expiration Date</b>	Date the message will be removed.	<b>Text Box</b>	Provides spaces for additional information such as course description, length, size, dates, point of contact, or nomination deadline with 2000 characters available.
Data Fields	Description/Action										
<b>Post Date</b>	Date the message was posted to the Bulletin Board.										
<b>Title</b>	The subject assigned to a message.										
<b>Expiration Date</b>	Date the message will be removed.										
<b>Text Box</b>	Provides spaces for additional information such as course description, length, size, dates, point of contact, or nomination deadline with 2000 characters available.										

*Continued on next page*

## Using the Bulletin Board, Continued

### Using the Bulletin Board (continued)

Step	Action
3	With your cursor in the <b>Title</b> data field, type the title of your course or message.
4	With your cursor in the <b>Expiration Date</b> data field, click the LOV and select a date. Click <OK>. The date populates the field.
5	With your cursor in the <b>Text box</b> , type your message.  <b>Note:</b> You can input up to 2000 characters.
6	Click <b>Save</b>  on the Toolbar. The <b>Post Date</b> populates with today's date. ◆ <b>Example:</b> 
7	Exit the window.

## Building and Booking Resources

---

### Purpose

This procedure guides you through the steps to build and book resources for trainers, venues (locations), and other resources. Resources are any facilities, people, or equipment you need to book to run an Event.

---

### See Also



In this module:

Chapter 2, Creating a Local Supplier

Chapter 2, Defining a Local Activity

Chapter 7, Setting up Local Codes

---

### Who Has Access



You must be in the role of **OTA Training Administrator**.

---

### Before You Begin

- You need to set up resources before you can associate them with activities and book them for events.
- You can define generic resource types, such as overhead projector or networked PCs. You define these as QuickCode values under Resource Type.

You can also define specific resources available from a particular Supplier. For example, you could record the Grove International Hotel (Supplier) as one venue holding 500 people and four venues holding 100 people.


---

*Continued on next page*



## Building and Booking Resources, Continued

### Building a Trainer Resource

Step	Action														
1	<b>Navigation Path</b> → <i>Resources</i> → <i>Definitions</i> → <b>&lt;Open&gt;</b> .														
2	<p>The <b>Resource</b> window opens. Complete the following data fields:</p> 														
	<table> <tr> <th>Data Fields</th><th>Description/Action</th></tr> <tr> <td><b>Type</b></td><td>Click the LOV and select Trainer.</td></tr> <tr> <td><b>Name</b></td><td>Query for last name, then select from the list. If not currently on the database, use the Building External Students process to add a name.</td></tr> <tr> <td><b>Supplier</b></td><td>Click the LOV and select from the list (Vendors) to include local suppliers you have built.</td></tr> <tr> <td><b>Reference</b></td><td>Free-form text (80 characters).</td></tr> <tr> <td><b>Lead Time</b></td><td>Enter the number of days you must schedule or book the Trainer in advance.</td></tr> <tr> <td><b>Consumable Checkbox</b></td><td>Click if the resource is consumed when used, and is not reusable. For example, markers and flip chart paper are normally consumable, whereas computers and venues are reusable.</td></tr> </table>	Data Fields	Description/Action	<b>Type</b>	Click the LOV and select Trainer.	<b>Name</b>	Query for last name, then select from the list. If not currently on the database, use the Building External Students process to add a name.	<b>Supplier</b>	Click the LOV and select from the list (Vendors) to include local suppliers you have built.	<b>Reference</b>	Free-form text (80 characters).	<b>Lead Time</b>	Enter the number of days you must schedule or book the Trainer in advance.	<b>Consumable Checkbox</b>	Click if the resource is consumed when used, and is not reusable. For example, markers and flip chart paper are normally consumable, whereas computers and venues are reusable.
Data Fields	Description/Action														
<b>Type</b>	Click the LOV and select Trainer.														
<b>Name</b>	Query for last name, then select from the list. If not currently on the database, use the Building External Students process to add a name.														
<b>Supplier</b>	Click the LOV and select from the list (Vendors) to include local suppliers you have built.														
<b>Reference</b>	Free-form text (80 characters).														
<b>Lead Time</b>	Enter the number of days you must schedule or book the Trainer in advance.														
<b>Consumable Checkbox</b>	Click if the resource is consumed when used, and is not reusable. For example, markers and flip chart paper are normally consumable, whereas computers and venues are reusable.														

*Continued on next page*

## Building and Booking Resources, Continued

### Building a Trainer Resource (continued)

Step	Action	
2 (cont)	<b>Dates Region:</b>	Start date auto-populates with today's date but can be overridden with date resource is available. Enter End Date.
	<b>Address</b>	Type the address for the Trainer.
	<b>Costs Region:</b>	
	<b>Currency</b>	When you click the LOV, it defaults to USD.
	<b>Amount</b>	Type the cost per unit.
	<b>Unit</b>	Click the LOV and select day, hour, month, or year.
	<b>DDF</b>	Grayed out.
3	Save your action.	

### Example of Trainer Resource Window

The screenshot shows the Oracle 11i Resource window for a Trainer resource. The window has a title bar with the Oracle logo and the text 'Resource'. The main area contains several input fields and sections:

- Type:** A dropdown menu with 'Trainer' selected.
- Resource Name:** A text field containing 'ACMRLM, FPMRLWIUJ G'.
- Trainer Name:** A text field containing 'WINEMAN, ALEXIS B'.
- Training Center:** An empty text field.
- Location:** A text field containing '512060760'.
- Supplier:** A text field containing 'Center for Learning'.
- Reference:** An empty text field.
- Consumable:** A checkbox labeled 'Consumable' that is currently unchecked.
- Lead Time:** A text field containing '5'.
- Address:** A text field containing '1800 E Avenue, Fort Lee, VA 23801-1800'.
- Booking Instructions:** A large text area that is currently empty.
- Costs:** A section with three fields: 'Currency' (USD), 'Amount' (20.00), and 'Unit' (Day).

*Continued on next page*

## Building and Booking Resources, Continued

### Building a Venue Resource

Step	Action																												
1	<b>Navigation Path</b> → <i>Resources</i> → <i>Definitions</i> → <b>&lt;Open&gt;</b> .																												
2	The <b>Resource</b> window opens. Complete the following data fields:																												
	<table> <tr> <th>Data Fields</th><th>Description/Action</th></tr> <tr> <td><b>Type</b></td><td>Click the LOV and select Venue.</td></tr> <tr> <td><b>Name (of venue)</b></td><td>Two data elements display. Query for last name, then select from the list for the Center.</td></tr> <tr> <td><b>Supplier</b></td><td>Click the LOV and select from the list (Vendors) to include local suppliers you have built.</td></tr> <tr> <td><b>Reference</b></td><td>Free-form text (80 characters).</td></tr> <tr> <td><b>Lead Time</b></td><td>Enter the number of days you must schedule or book the Venue in advance.</td></tr> <tr> <td><b>Consumable Checkbox</b></td><td>Click if the resource is consumed when used, and is not reusable. For example, pens and paper are normally consumable, whereas computers and venues are reusable.</td></tr> <tr> <td><b>Dates Region:</b></td><td>Start date auto-populates with today's date but can be overridden when venue is available. Enter End Date.</td></tr> <tr> <td><b>Address</b></td><td>Type in address of the venue.</td></tr> <tr> <td><b>Costs Region:</b></td><td></td></tr> <tr> <td><b>Currency</b></td><td>When you click the LOV, it defaults to USD.</td></tr> <tr> <td><b>Amount</b></td><td>Type the cost per unit.</td></tr> <tr> <td><b>Unit</b></td><td>Click the LOV and select day, hour, month, or year.</td></tr> <tr> <td><b>DDF</b></td><td>Grayed out.</td></tr> </table>	Data Fields	Description/Action	<b>Type</b>	Click the LOV and select Venue.	<b>Name (of venue)</b>	Two data elements display. Query for last name, then select from the list for the Center.	<b>Supplier</b>	Click the LOV and select from the list (Vendors) to include local suppliers you have built.	<b>Reference</b>	Free-form text (80 characters).	<b>Lead Time</b>	Enter the number of days you must schedule or book the Venue in advance.	<b>Consumable Checkbox</b>	Click if the resource is consumed when used, and is not reusable. For example, pens and paper are normally consumable, whereas computers and venues are reusable.	<b>Dates Region:</b>	Start date auto-populates with today's date but can be overridden when venue is available. Enter End Date.	<b>Address</b>	Type in address of the venue.	<b>Costs Region:</b>		<b>Currency</b>	When you click the LOV, it defaults to USD.	<b>Amount</b>	Type the cost per unit.	<b>Unit</b>	Click the LOV and select day, hour, month, or year.	<b>DDF</b>	Grayed out.
Data Fields	Description/Action																												
<b>Type</b>	Click the LOV and select Venue.																												
<b>Name (of venue)</b>	Two data elements display. Query for last name, then select from the list for the Center.																												
<b>Supplier</b>	Click the LOV and select from the list (Vendors) to include local suppliers you have built.																												
<b>Reference</b>	Free-form text (80 characters).																												
<b>Lead Time</b>	Enter the number of days you must schedule or book the Venue in advance.																												
<b>Consumable Checkbox</b>	Click if the resource is consumed when used, and is not reusable. For example, pens and paper are normally consumable, whereas computers and venues are reusable.																												
<b>Dates Region:</b>	Start date auto-populates with today's date but can be overridden when venue is available. Enter End Date.																												
<b>Address</b>	Type in address of the venue.																												
<b>Costs Region:</b>																													
<b>Currency</b>	When you click the LOV, it defaults to USD.																												
<b>Amount</b>	Type the cost per unit.																												
<b>Unit</b>	Click the LOV and select day, hour, month, or year.																												
<b>DDF</b>	Grayed out.																												
3	Click Save.																												

*Continued on next page*

## Building and Booking Resources, Continued

### Building a Venue Resource (continued)

#### Example of Completed Venue Window

The screenshot shows the 'Resource' window with the following fields filled out:

- Type: **Venue**
- Resource Name: **Dummy.**
- Trainer Name: (empty)
- Training Center: (empty)
- Location: **512060760**
- Supplier: **Center for Learning**
- Reference: (empty)
- ☐ Consumable
- Lead Time: **5.**
- Address: **1800 E Avenue, Fort Lee, VA 23801-1800**
- Booking Instructions: (empty text area)
- Costs:
  - Currency: **USD**
  - Amount: **20.00**
  - Unit: **Day**

#### Booking the Resource


This can be accomplished two ways, either through the **Activities** Window or through the **Search for Event** Window. Method #1:

Step	Action
1	<b>Navigation Path</b> → <i>Activities</i> → <b>&lt;Open&gt;</b> .
2	<p>The Activities window opens. When you build a Local Activity, click the <b>&lt;Resources&gt;</b> button to select the venue or trainer needed.</p> <p>The screenshot shows the 'Activities' window with the following fields filled out:</p> <ul style="list-style-type: none"> <li>Activity Type: <b>1-B MANAGEMENT</b></li> <li>Description: <b>1-B MANAGEMENT</b></li> <li><input checked="" type="checkbox"/> Concurrent Activities</li> <li>Inventory Organization: (empty)</li> <li>Inventory Item: (empty)</li> <li>Name: <b>1st Sgt Addtl Duty</b></li> <li>Description: <b>This course prepares selected non-commissione</b></li> <li>Audience: <b>Rank: TSgt or above (ARTIs are elig</b></li> <li>Objectives: (empty)</li> <li>Supplier: (empty)</li> <li>Language: <b>American English</b></li> <li>Next Activity: (empty)</li> <li>Valid Dates:           <ul style="list-style-type: none"> <li>From: <b>02-JAN-1951</b></li> <li>To: (empty)</li> </ul> </li> <li>Sponsor: <b>CIVDODHR</b></li> <li>Managed by: (empty)</li> <li>Status: (empty)</li> <li>Success Criteria: (empty)</li> <li><input type="checkbox"/> Allow Expenses</li> <li>Students:           <ul style="list-style-type: none"> <li>Minimum: (empty)</li> <li>Maximum: <b>0</b></li> <li>Max Internal: (empty)</li> </ul> </li> <li>Costs:           <ul style="list-style-type: none"> <li>Currency: <b>USD</b></li> <li>Budget: <b>0.00</b></li> <li>Actual: <b>0.00</b></li> </ul> </li> <li>Duration:           <ul style="list-style-type: none"> <li>Length: <b>80</b></li> <li>Units: <b>Hour</b></li> </ul> </li> <li>Professional Credits:           <ul style="list-style-type: none"> <li>Type: (empty)</li> <li>Amount: (empty)</li> </ul> </li> </ul> <p>Buttons at the bottom: <b>Competencies</b>, <b>Other Information</b>, <b>Categories</b>, <b>Resources</b>, <b>Copy Objects</b></p>

*Continued on next page*

## Building and Booking Resources, Continued

### Booking the Resource (continued)


Step	Action																				
3	<p>The <b>Resource Usages</b> window opens. Complete the following data fields.</p> 																				
	<table> <tr> <th>Data Field</th><th>Description/Action</th></tr> <tr> <td><b>Type</b></td><td>Click the LOV and select Trainer, Venue, or other Resource type you have built.</td></tr> <tr> <td><b>Resource</b></td><td>If you clicked Trainer, select from the list of names you built.</td></tr> <tr> <td><b>Quantity</b></td><td>Type in number needed; such as number of PCs if you selected other Resource type.</td></tr> <tr> <td><b>Required checkbox</b></td><td>Select if required.</td></tr> <tr> <td><b>Reason</b></td><td>Click the LOV and select from the reasons you built in RESOURCE_USAGE.</td></tr> <tr> <td><b>DDF</b></td><td>Not used by DoD.</td></tr> <tr> <td><b>Role</b></td><td>Click the LOV and select from the roles you built in TRAINER_PARTICIPATION.</td></tr> <tr> <td><b>Start Date</b></td><td>Override the start date and use one within the availability of the resource when you built it.</td></tr> <tr> <td><b>End Date</b></td><td>Click the LOV to select a date within the resource availability.</td></tr> </table>	Data Field	Description/Action	<b>Type</b>	Click the LOV and select Trainer, Venue, or other Resource type you have built.	<b>Resource</b>	If you clicked Trainer, select from the list of names you built.	<b>Quantity</b>	Type in number needed; such as number of PCs if you selected other Resource type.	<b>Required checkbox</b>	Select if required.	<b>Reason</b>	Click the LOV and select from the reasons you built in RESOURCE_USAGE.	<b>DDF</b>	Not used by DoD.	<b>Role</b>	Click the LOV and select from the roles you built in TRAINER_PARTICIPATION.	<b>Start Date</b>	Override the start date and use one within the availability of the resource when you built it.	<b>End Date</b>	Click the LOV to select a date within the resource availability.
Data Field	Description/Action																				
<b>Type</b>	Click the LOV and select Trainer, Venue, or other Resource type you have built.																				
<b>Resource</b>	If you clicked Trainer, select from the list of names you built.																				
<b>Quantity</b>	Type in number needed; such as number of PCs if you selected other Resource type.																				
<b>Required checkbox</b>	Select if required.																				
<b>Reason</b>	Click the LOV and select from the reasons you built in RESOURCE_USAGE.																				
<b>DDF</b>	Not used by DoD.																				
<b>Role</b>	Click the LOV and select from the roles you built in TRAINER_PARTICIPATION.																				
<b>Start Date</b>	Override the start date and use one within the availability of the resource when you built it.																				
<b>End Date</b>	Click the LOV to select a date within the resource availability.																				
4	Save your action.																				

*Continued on next page*

## Building and Booking Resources, Continued

### Booking the Resource

#### Method #2:

Step	Action												
1	<b>Navigation Path</b> → <b>Event Search</b> → <Open>.												
2	The <b>Search for Event</b> Window opens. Query for the Event you need to book resources against, and then close the window.												
3	<p>The <b>Book Resources</b> window opens with <b>Resources Booked</b> and <b>Finance Headers</b> windows cascaded behind it. Complete the following data fields:</p>  <table border="1"> <thead> <tr> <th>Data Field</th><th>Description/Action</th></tr> </thead> <tbody> <tr> <td><b>Type</b></td><td>Click the LOV to select Trainer, Venue, etc.</td></tr> <tr> <td><b>Name</b></td><td>Click the LOV to select.</td></tr> <tr> <td><b>Quantity</b></td><td>Defaults to 1 but can be overridden.</td></tr> <tr> <td><b>From</b></td><td>Auto-populates.</td></tr> <tr> <td><b>To</b></td><td>Input date</td></tr> </tbody> </table>	Data Field	Description/Action	<b>Type</b>	Click the LOV to select Trainer, Venue, etc.	<b>Name</b>	Click the LOV to select.	<b>Quantity</b>	Defaults to 1 but can be overridden.	<b>From</b>	Auto-populates.	<b>To</b>	Input date
Data Field	Description/Action												
<b>Type</b>	Click the LOV to select Trainer, Venue, etc.												
<b>Name</b>	Click the LOV to select.												
<b>Quantity</b>	Defaults to 1 but can be overridden.												
<b>From</b>	Auto-populates.												
<b>To</b>	Input date												

*Continued on next page*

## Building and Booking Resources, Continued

### Booking the Resource (continued)

Step	Action	
3 (cont)	<b>Data Field</b>	<b>Description/Action</b>
	<b>Status</b>	Defaults to Confirmed but can be overridden with Planned.
	<b>Start</b>	Enter time of day. (08:00)
	<b>End</b>	Enter time of day.
	<b>Trainer Role</b>	Defaults to Facilitator.
	<b>Max Usage</b>	Free flow 11 characters.
	<b>Event Region:</b>	Not used.
	<b>Delivery Region:</b>	Freeflow text.
	<b>Finance Region:</b>	Not used.
	<b>Supplier</b>	Auto-populates when <Availability> clicked and trainer selected.
	<b>Booking Date</b>	Auto-populates with today's date.
	<b>Booked By</b>	Auto-populates with name of user.
4	Save your action.	

This page intentionally left blank.